VERNON
ROYAL
LINE

Callisaurus draconoides
Cordes No. 11

LOOSE LEAF INDEX

DURABLE INDEX DIVIDERS, SUITABLE FOR SCHOOL OR COMMERCIAL USE



IDEAL FOR CLASSIFYING OR SEPARATING STUDIES, VARIOUS SUBJECTS OR MISCELLANEOUS DATA.

CLASS SCHEDULE

PERIOD TIME	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH
COURSE **MONDAY** INSTRUCTOR								
COURSE **TUESDAY** INSTRUCTOR								
COURSE **WEDNESDAY** INSTRUCTOR								
COURSE **THURSDAY** INSTRUCTOR								
COURSE **FRIDAY** INSTRUCTOR								
COURSE **SATURDAY** INSTRUCTOR								

NAME _____

SCHOOL _____ CLASS _____

HOME ADDRESS _____

CITY _____ TELEPHONE _____

Callisaurus
draconoides

SPECIES Callisaurus draconoides

SACK NO. R1 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 73

DATE Aug. 23, 1958 SPEEDOMETER 10660

LOCALITY 6 mi. E. of Glamis, Imperial Co., Calif.

STANDARD TIME 1045 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft) 690

WIND VELOCITY(miles/hour) 3-8 TAG NO. 1

AIR TEMPERATURE 36.7 °C 98 °F

~~ROAD~~ Rock TEMPERATURE 46 °C 114.8 °F

SOIL SURFACE TEMPERATURE 46 °C 114.8 °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT gravelly, flat desert

REMARKS: gular area bright orange.

SPECIES Callisaurus draconoides

SACK NO. Y1 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 69

DATE Aug. 23, 1958 SPEEDOMETER 10660

LOCALITY 6 mi. E. of Glamis, Imperial Co., Calif.

STANDARD TIME 1330 CLOUDS none

MOON (day) RELATIVE HUMIDITY(%) _____

WIND DIRECTION W ALTITUDE(ft) 690

WIND VELOCITY(miles/hour) 3-11 TAG NO. 2

AIR TEMPERATURE 39 °C 102 °F

~~ROAD~~ Rock TEMPERATURE 50.5 °C 122.9 °F

SOIL SURFACE TEMPERATURE 54 °C 129.2 °F

CLOACAL TEMPERATURE 38 °C 100.4 °F

HABITAT gravelly, flat desert

REMARKS: seen in shade, ran into sunny area.



Digitized by the Internet Archive
in 2017 with funding from
CLIR

https://archive.org/details/code11callisauru00mayh

SPECIES Callisaurus draconoides

SACK NO. Y9 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Aug. 23, 1958 SPEEDOMETER 10775

LOCALITY 2 mi. S. of Ocotillo Wells, San Diego Co., Calif.

STANDARD TIME 2120 CLOUDS none

MOON 1/2 RELATIVE HUMIDITY(%) 58

WIND DIRECTION none ALTITUDE(ft) 200 (?)

WIND VELOCITY(miles/hour) 0 TAG NO. 3

AIR TEMPERATURE 34.4 °C 94 °F

ROAD TEMPERATURE 35.5 °C 95.9 °F

SOIL SURFACE TEMPERATURE 33.5 °C 92.3 °F

CLOACAL TEMPERATURE 38 °C 100.4 °F

HABITAT flat, open desert.

REMARKS: sitting on road.

SPECIES Callisaurus draconoides

SACK NO. R11 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE Sept. 18, 1958 SPEEDOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1120 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAG NO. 4

AIR TEMPERATURE 29.8 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 51.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert

REMARKS: _____

SPECIES Callisaurus draconoides

SACK NO R 11 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 102

DATE Sept. 18, 1958 SPEEDOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1125 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAG NO. 5

AIR TEMPERATURE 29.8 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 51.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert

REMARKS: _____

SPECIES Callisaurus draconoides

SACK NO. R17 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 95

DATE Sept. 18, 1958 SPECIMEN NO. 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1115 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAIL NO. 6

AIR TEMPERATURE 29.8 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 51.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert.

REMARKS: _____

SPECIES Callisaurus draconoides

SACK NO. R17 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE Sept. 18, 1958 SPEEDOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1230 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAG NO. 7

AIR TEMPERATURE 33.5 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 50.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert.

REMARKS: _____

SPECIES: Callisaurus draconoides

SACK NO. R 22 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 89

DATE Sept. 18, 1958 SPOOLOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1210 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 I/S NO. 8

AIR TEMPERATURE 32 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 51 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creasote desert.

REMARKS: _____

SPECIES: Callisaurus draconoides

SACK NO. R8 SEX ♀ ♂ AGE ad,

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 94

DATE Sept. 18, 1958 SPEEDOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1215 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 TAG NO. 9

AIR TEMPERATURE 32 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 50.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert.

REMARKS: _____

SPECIES Callisaurus draconoides

RACK NO. R8 SEX ♀ ~~♂~~ Bennett 2/65 AGE ad.

WEIGHT (gms) _____ SNOUT-VENT LENGTH (mm) 66

DATE Sept. 18, 1958 RESEDOMETER 12545

LOCALITY 13 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1225 CLOUDS none

MOON — RELATIVE HUMIDITY(%) 15

WIND DIRECTION none ALTITUDE(ft) 2980

WIND VELOCITY(miles/hour) 0 LAG NO. 10

AIR TEMPERATURE 33.5 °C _____ °F

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 50.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Creosote desert.

REMARKS: _____

Callisaurus draconoides

SEX YO ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 61

DATE Sept. 19, 1958 SPECIMEN NO. RLZ 0

LOCALITY 11 mi. E. of Glamis, Imperial Co., Calif.

ELEVATION (FEET) 1611 CLOUDS none

HOUR ____ RELATIVE HUMIDITY(%) _____

SOIL CONDITION none ALTITUDE(FT.) _____

WIND VELOCITY(MILES/HOUR) 0 TIME (CST) 11

AIR TEMPERATURE 37.8 °C _____ °F

SAND TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 44.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Mesquite thicket in dry wash.

REMARKS _____

SPECIES Callisaurus draconoides

RACK NO. YO SEX ♂ AGE ad.

WEIGHT(gms) ______ SNOUT-VENT LENGTH (mm) 61

DATE Sept. 19, 1958 [illegible] 12920

LOCALITY 11 mi. E. of Glamis, Imperial Co., Calif.

STANDARD TIME 1618 CLOUDS none

MOON — RELATIVE HUMIDITY(%) ______

WIND DIRECTION none VELOCITY ______

[illegible] 0 [illegible] 12

AIR TEMPERATURE 37.8 °C ______ °F

ROAD TEMPERATURE ______ °C ______ °F

SOIL SURFACE TEMPERATURE 44.5 °C ______ °F

CLOACAL TEMPERATURE ______ °C ______ °F

HABITAT Mesquite thicket in dry wash.

REMARKS: ______

SPECIES Callisaurus draconoides

PACK NO. Y2 SEX ♂ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE Mar. 13, 1959 SPEEDOMETER 2049

LOCALITY 22 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 1138 CLOUDS none

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION none ALTITUDE(ft) 1400

WIND VELOCITY(miles/hr) 0 °C 13

AIR TEMPERATURE (30") 28.0 °C _____ °F

~~ROAD~~ Air TEMPERATURE (1cm) 29.0 °C _____ °F

SOIL SURFACE TEMPERATURE 45.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT sand dune

REMARKS: _____

SPECIES Callisaurus draconoides

SACK NO. B18 SEX ♂ AGE imm(?)

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 53

DATE March 13, 1959 SPEEDOMETER 2049

LOCALITY 22 mi. E. of 29 Palms, San Bernardino Co., Calif.

STANDARD TIME 1209 CLOUDS 5%

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft) 1400

WIND VELOCITY (miles/hour) 3-5 TAGE NO. 14

AIR TEMPERATURE (30") 28.0 °C _____ °F

~~ROAD~~ Air TEMPERATURE (1cm) 29.0 °C _____ °F

SOIL SURFACE TEMPERATURE 45.5 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT sand dune

REMARKS: _____

SPECIES Callisaurus draconoides TAG NO. 15

CONTAINER NO. B18 SEX ♂ AGE imm(?) TOE-CLIP( )

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 52

DATE Mar. 13, 1959 SPECIMEN NO. 2049

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1330 CLOUDS(% overcast) 35

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N. W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °F

AIR TEMP (3 in) 28.0 °C AIR TEMP(1 cm) 29.0 °C

SUBSTRATE TEMP 45.5 °C CLOACAL TEMP °C

sand dune

Callisaurus draconoides 16

Y 13 ♀ Ad

73

22 Mar 1959 3412

5 Mi. W. of Kane Springs on Rd. to Harper's Well

Imperial Calif

0950 O

——

NE

25.9 29

35.7

Creosote Bush scrub

SPECIES Callisaurus draconoides TAG NO. 17

CONTAINER NO. _____ SEX ♂ AGE Ad ? TOE-CLIP _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 54

DATE 1 April 1959 SPEEDOMETER _____

LOCALITY Pisgah Lava Flow near Ludlow

COUNTY San Bernardino STATE Calif

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2150

WIND VELOCITY(mi./hr) _____ ROAD TEMP. _____ °C

AIR TEMP (30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

UNDER SURFACE TEMP _____ °C

HABITAT Sandy areas between lava ridges

REMARKS Collected by others, data not taken

SPECIES: Callisaurus draconoides TAG NO. 18

CONTAINER NO. SEX ♂ AGE Imm TOE-CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 44

DATE 1 Apr, 1959 SPEEDOMETER

LOCALITY Pisgah Lava Flow, ~10 Mi. W. of Ludlow

COUNTY San Bernardino STATE Calif

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.) 2150

WIND VELOCITY(mi/hr) ROAD TEMP. °C

SOIL TEMP (30 in) °C AIR TEMP(1 cm) °C

SURFACE TEMP °C CLOACAL TEMP

SOIL SURFACE TEMP °C

HABITAT Sandy areas between lava ridges

REMARKS Collected by others, data not taken

SPECIES Callisaurus draconoides TAG NO. 19

CONTAINER NO. ____ SEX ♂ AGE Imm TOE-CLIP ____

WEIGHT(gms) ____ SHEET-VENT LENGTH(mm) 47

DATE 1 Apr. 1959 SPEEDOMETER ____

LOCALITY Pisgah Lava Flow, ~10 mi. W. of Ludlow

COUNTY San Bernardino STATE Calif

STANDARD TIME ____ CLOUDS(% overcast) ____

MOON ____ RELATIVE HUMIDITY(%) ____

WIND DIRECTION ____ ALTITUDE(ft.) 2150

WIND VELOCITY(mi/hr) ____ ROAD TEMP. ____

AIR PRESS (30 in) ____ °C AIR TEMP(1 cm) ____

WIND VELOCITY TEMP ____ °C ELEVATAL TEMP ____

Sandy areas between lava ridges

Collected by others, no data taken.

SPECIES Callisaurus draconoides NO. 20

CONTAINER NO. Rb SEX ♂ AGE ad. TYPE-CLIP

WEIGHT(grms) SNOUT-VENT LENGTH(mm) 77

DATE Apr. 25, 1959 SPECIMEN NO. 27136

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1255 CLOUDS(% overcast) 100

RAIN — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP. °C

AIR TEMP (30 in) 26.5 °C AIR TEMP(1 cm) 29.5 °C

SURFACE TEMP 36.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS:

SPECIES Callisaurus draconoides TAG NO. 21

CONTAINER NO. R1 SEX ♂ AGE ad. TOE-CLIP

WEIGHT(gms.) SNOUT-VENT LENGTH(mm) 69

DATE Apr. 25, 1959 ODOMETER 27136

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1140 CLOUDS(% overcast) 100

RAIN — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP. °C

AIR TEMP (30 in) 26.5 °C AIR TEMP(1 cm) 29.5 °C

SOIL SURFACE TEMP 36.8 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS:

SPECIES: Callisaurus draconoides FIELD NO. 22

SPECIMEN NO. YS SEX ♀ AGE imm(?) TOE-CLIP #

WEIGHT(gms.) SNOUT-VENT LENGTH(mm) 63

DATE Apr. 25, 1959 SUBMISSION 27316

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1410 CLOUDS(% overcast) 100

FOG — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP. °C

AIR TEMP (30 cm) 29.8 °C AIR TEMP(1 cm) 31.0 °C

SURFACE TEMP 41.2 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS:

SPECIES Callisaurus draconoides FIELD NO. 23

CONTAINED IN B19 SEX ♀ AGE imm.(?) TOE-CLIP

WEIGHT(gms.) SNOUT-VENT LENGTH(mm) 57

DATE Apr. 25, 1959 SPECIMEN NO. 27136

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1330 CLOUDS(% overcast) 100

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP. °C

AIR TEMP (30 cm) 29.8 °C AIR TEMP(1 cm) 31.0 °C

SURFACE TEMP 41.2 °C CLOACAL TEMP

SUBSURFACE TEMP °C

HABITAT sand dune

REMARKS:

Callisaurus draconoides 24

B20 ♀ imm(?)

SNOUT-VENT LENGTH(mm) 56

Apr. 25, 1959 SPECIMEN 27136

LOCALITY 5 mi. W. of Glamis

COUNTY Imperial STATE Calif.

OBSERVED TIME 1323 CLOUDS(% overcast) 100

RAIN — RELATIVE HUMIDITY(%) 39

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi./hr.) 1-3 ROAD TEMP.

AIR TEMP (30 in) 29.8 °C AIR TEMP(1 cm) 31.0 °C

SURFACE TEMP 41.2 °C CLOACAL TEMP

SUB-SURFACE TEMP °C

HABITAT sand dune

REMARKS:

SPECIES Callisaurus draconoides

SACK NO. Y 6 SEX ♀ AGE ad.

WEIGHT(gms) _____ SNOUT-VENT LENGTH (mm) 72

DATE May 16, 1959 SPEEDOMETER 13827

LOCALITY 8 mi. S. of Barstow, San Bernardino Co., Calif.

STANDARD TIME 1100 CLOUDS 60% (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft) 2800

WIND VELOCITY (miles/hour) 3-5 TAG NO. 25

AIR TEMPERATURE (30") 26.6 °C (1cm) 33.2 °C

ROAD TEMPERATURE _____ °C _____ °F

SOIL SURFACE TEMPERATURE 38.0 °C _____ °F

CLOACAL TEMPERATURE _____ °C _____ °F

HABITAT Rocky slope

REMARKS: _____

SPECIES Callisaurus draconoides 26

CONTAINER NO. R12 SEX ♂ AGE ad. TOE-CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE May 23, 1959 SPHEROMETER 3106

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial STATE Calif.

STANDARD TIME 1400 CLOUDS(% overcast) 0

ROOM — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1300

WIND VELOCITY(mi./hr.) 0 ROAD TEMP. °C

AIR TEMP (30 in) 30.2 °C AIR TEMP(1 cm) 36.4 °C

SURFACE TEMP 57.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Creosote bush scrub

GLANDS: Taken from mouth of Crotaphytus wislizeni. It was still alive and appeared unhurt when we captured it. Dissected in the field.

Right testis – 2 mm x 1 mm.
Left " – 2 mm x 1 mm.
Left testis removed and preserved in Bouins.

Callisaurus draconoides 27

B 21 ♂ ad.

80

May 22, 1959 2853

22 mi. E. of 29 Palms

San Bernardino Calif.

1205 0

— —

S.E. 1480

8-12

27.8 30.4

43.5

sand in creosote bush scrub

SPECIES Callisaurus draconoides NO. 28

CONTAINER NO. B 8 SEX ♀ AGE imm.

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 43

DATE May 22, 1959 SPEEDOMETER 2853

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 8-12 ROAD TEMP.

AIR TEMP (30 in) 27.8 °C AIR TEMP(1 cm) 30.4

SOIL SURFACE TEMP 43.5 °C CLOACAL TEMP

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub (sand)

REMARKS

Callisaurus draconoides 29

B 25 ♀ imm.

48

DATE May 22, 1959 SPECIMEN NO. 2853

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino STATE Calif.

STANDARD TIME 1125 CLOUDS (% overcast) 0

ROCK — RELATIVE HUMIDITY (%) —

WIND DIRECTION S. E. ALTITUDE (ft.) 1480

WIND VELOCITY (mi./hr.) 8-12 ROAD TYPE

SOIL TEMP. (30 cm.) 27.8 °C AIR TEMP. (1 cm.) 30.4

SOIL SURFACE TEMP. 43.5 °C SUBSTRATE TEMP. °C

sand in creosote bush scrub

seen sitting on sand in the open

Callisaurus draconoides 30

B34 ♀ ad.?

SNOUT-VENT LENGTH(mm) 56

May 29, 1959 SPEEDOMETER 7642

LOCALITY 8 mi. N.W. of ~~1000~~ Palms

COUNTY Riverside STATE Calif.

STANDARD TIME 1202 CLOUDS(% overcast) 0

WIND — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 600

WIND VELOCITY(mi./hr.) 13-19 ROAD TEMP.

AIR TEMP (36 in) 29.8 °C AIR TEMP(1 cm) 33.0 °C

SURFACE TEMP 47.0 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub.

REMARKS sitting on edge of pavement in sun.

TYPE NO. Callisaurus draconoides TAG NO. 31

CONTAINER NO. B18 SEX ♀ AGE ad (?) TOE CLIP —

WEIGHT(grms) _____ SNOUT-VENT LENGTH(mm) 58

DATE June 10, 1959 SPEEDOMETER 3716

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1120 CLOUDS (% Overcast) 0

MOON — RELATIVE HUMIDITY(%) 21

WIND DIRECTION N.W. ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) 10-13 ROAD TEMP. _____

AIR TEMP(30 cm) 35.6 °C AIR TEMP(1 cm) 40.4 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT creosote bush scrub

REMARKS: sitting on open sand

SPECIES Callisaurus draconoides TAG. NO. 32

CONTAINER NO. B30 SEX ♀ AGE ad. TOE CLIP #

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE July 20, 1959 SPEEDOMETER 8202

LOCALITY 7 mi. N.W. of 1000 Palms

COUNTY Riverside CALIF.

STANDARD TIME 1150 CLOUDS (% Overcast) 50 (thin)

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 800

WIND VELOCITY (mi/hr) 0 ROAD TEMP. 64.0

AIR TEMP(30 in) 35.4 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 59.5 °C CLOACAL TEMP 45.4 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: caught by hand. Chased about 30 yards. It could hardly run by the time it was caught.

Callisaurus draconoides

B21 ♂ ad.

64

July 21, 1959 8600

30 mi. E. of 29 Palms

San Bernardino

1700 60

– 29

S.E. 1950

8-12

38.5 41.5

46.3 40.0

creosote bush scrub

sitting on newly oiled road (dirt road being surfaced between Dale Dry Lake and Rice. Slight chase (~15 feet).

Callisaurus draconoides 34

B21 ♂ ad. 1

59

July 21, 1959 8600

30 mi. E. of 29 Palms

San Bernardino

1715 80

— 29

S.E. 1900

8-12

35.5 °C 37.5

41.5 °C 38.3

°C

creosote bush scrub

sitting in sun on top of rock. 10 foot chase.

Callisaurus draconoides 35

R17 ♀ ad. 1

69

July 22, 1959 8620

22 mi. E. of 29 Palms

San Bernardino

0730 80

— 50

S.W. 1480

5-7

33.0 35.6

38.0 42.4

Creosote bush scrub

It had run about 50 yards before we saw it. We tracked it to a creosote bush.

Callisaurus draconoides 36

B31 ♂ ad(?)

64

July 29, 1959 29252

4 mi. N. W. of Phelan

San Bernardino

1735 30

- 14

0 3900

0

33.4 39.6

45.0 38.6

Joshua tree woodland

sitting in open between perennial vegetation. 30 ft. chase.

Callisaurus draconoides 37

♂ Ad

SVL(mm) _____ SNOUT-VENT LENGTH(mm) 74

DATE 26 June 1959 TIME _____

LOCALITY Yuma Sand Hills

COUNTY Imperial CALIF.

STANDARD TIME ~1600 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 500

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) 34.5 °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP 46.5 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT Sand dunes

REMARKS: Lizards were on shady side of dunes

Held in captivity until 8/27/59

Caught by Dave Reuther

SPECIES Callisaurus draconoides TAG NO. 38

CATALOG NO. ♀ SEX Imm AGE

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 55

DATE 26 June 1959 SPECIMEN(S)

LOCALITY Yuma Sand Hills

COUNTY Imperial CALIF.

STANDARD TIME ~1600 CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft.) 500

WIND VELOCITY (mi/hr) ROAD TEMP.

AIR TEMP (30 in) 34.5 °C AIR TEMP(1cm) °C

SOIL SURFACE TEMP 46.5 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C

HABITAT Sand Dunes

REMARKS: Shady side of dunes
Held in captivity until 8/27/59
Caught by Dave Reuther

SPECIES Callisaurus draconoides TAG NO. 39

SPECIMEN NO. _____ SEX ♀ AGE Imm TYPE CLUTCH _____

WEIGHT(grms) _____ SNOUT-VENT LENGTH(mm) 56

DATE 26 June 1959 SPEEDOMETER _____

LOCALITY Yuma Sand Hills

COUNTY Imperial CALIF.

STANDARD TIME ~1600 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 500

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) 34.5 °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP 46.5 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT Sand Dunes

REMARKS: Shady side of Dune

Held in captivity until 8/27/59

Caught by Dave Reuther

Callisaurus draconoides 40

♀ Imm

55

26 June 1959

Yuma Sand Hills

Imperial

~1600

34.5

46.5

Sand dunes

Shady side of dunes.

Held in captivity until 8/27/59

Caught by Dave Reuther

Callisaurus draconoides 41

♀ Ad

72

25 June, 1959

LOCALITY Near Casa Grande

COUNTY Pinal, Arizona

STANDARD TIME _____ CLOUDS (% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY (mi/hr) _____ ROAD TEMP. _____

AIR TEMP (30 in) _____ °C AIR TEMP(1cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C

HABITAT creosote bush scrub

REMARKS: Caught by Dave Reuther
Held in captivity until 8/27/59

SPECIES Callisaurus draconoides TAG NO. 42

CONTAINER NO. R10 SEX ♂ AGE ad. TOE CLIP

WEIGHT(gms) SHOUT-VENT LENGTH(mm) 81

DATE Aug. 19, 1959 SPEEDOMETER 29655.

LOCALITY 6 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION N.W. ALTITUDE(ft.) 300

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP. 46.5

AIR TEMP (30 in) 32.0 °C AIR TEMP(1cm) 35.0 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 40.9 °C

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS: 50 yard chase. Sitting in sun on pavement.

SPECIES Callisaurus draconoides NO. 43

COLLECTOR'S NO. B23 SEX ♀ AGE imm. TIME CAUGHT

WEIGHT(gms.) SNOUT-VENT LENGTH(mm.) 54

DATE Aug. 19, 1959 CATALOGUED 29655

LOCALITY 6 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 40

WIND DIRECTION N. W. ALTITUDE(ft.) 300

WIND VELOCITY (mi/hr) 5-7 ROAD TEMP. 46.5

AIR TEMP (30 in) 32.0 °C AIR TEMP(1cm) 35.0

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 41.9

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS: 50 yard chase. Sitting in sun on pavement.

SPECIES Callisaurus draconoides TAG. NO. 44

CONTAINER NO. B21 SEX ♀ AGE ad. TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 64

DATE Aug. 19, 1959 SPEEDOMETER 29655

LOCALITY 6 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1200 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 33

WIND DIRECTION N.W. ALTITUDE(ft.) 300

WIND VELOCITY (mi/hr) 3-5 ROAD TEMP. 46.5

AIR TEMP (30 in) 32.0 °C AIR TEMP(1cm) 35.0 °C

SOIL SURFACE TEMP 50.4 °C CLOACAL TEMP 40.8 °C

ROCK SURFACE TEMP °C

HABITAT sand dune

REMARKS: sitting in sun on sand. 40 ft. chase.

SPECIES: Callisaurus draconoides T/C. NO. 45

SPECIMEN NO. RH SEX ♂ AGE ad. TOE CLIP( )

WEIGHT(grms) SNOUT-VENT LENGTH(mm) 71

DATE Aug. 19, 1959 SPEEDOMETER 29658

LOCALITY 8 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1330 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION N.W. ALTITUDE(Ft.) 300

WIND VELOCITY (mi/hr) 5-8 ROAD TEMP.

AIR TEMP (30 in) 35.0 °C AIR TEMP(1cm) 38.5 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: seen running in sun. 75 ft. chase.

SPECIES Callisaurus draconoides FIELD NO. 46

CONTAINER NO. R51 SEX ♀ AGE ad.(?) TOE CLIP

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 60

DATE Aug. 20, 1959 SPEEDOMETER 29877

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1115 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 31

WIND DIRECTION 0 ALTITUDE(ft.) 1500

WIND VELOCITY (mi/hr) 0 ROAD TEMP.

AIR TEMP (30 in) 27.6 °C AIR TEMP(1cm) 31.6 °C

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 38.9 °C

ROCK SURFACE TEMP °C

HABITAT creosote bush scrub

REMARKS: sitting in sun on open sand. 80 ft. chase.

Callisaurus draconoides 47

R45 0 ad

69

Aug. 20, 1959 29877

24 mi. E. of 29 Palms

San Bernardino

1255 0

— 30

S.E. 1500

12-15

31.5 35.0

47.5 40.4

creosote bush scrub

sitting on rock in sun. sitting with ♀. Probably a pair. 50 ft. chase.

Callisaurus draconoides 48

R45 ♀ ad.

71

Aug. 20, 1959 29877

24 mi. E. of 29 Palms

San Bernardino

1300 0

— 30

S.E. 1500

12-15

31.5 °C 35.0

47.5 °C 37.6

creosote bush scrub

sitting on rock in sun with ♂.

Probably a pair. 50 ft. chase. Eggs in

Left oviduct: 14.1 mm x 8.1 mm.

14.3 " x 7.8 " (2 corpora lutea)

Right oviduct: 15.9 " x 8.1 "

13.4 " x 9.0 " (2 corpora lutea)

SPECIES *Callisaurus draconoides* TAG. NO. 49

CONTAINER NO. R10 SEX ♂ AGE imm. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 51

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON ~ RELATIVE HUMIDITY(%) 32

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 40.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: on rock in shade

SPECIES *Callisaurus draconoides* TAG. NO. 50

CONTAINER NO. R7 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE AUG 31 1959 SPEEDOMETER 30501

LOCALITY *Palm Springs*

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0850 CLOUDS(% overcast) 0

MOON – RELATIVE HUMIDITY(%) 24

WIND DIRECTION 0 ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 35.3 °C

SOIL SURFACE TEMP 40.2 °C CLOACAL TEMP 42.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: *in sun on sand*

SPECIES Callisaurus draconoides TAG. NO. 51

CONTAINER NO. R28 SEX ♀ AGE ad. (?) TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE SEP 9 1959 SPEEDOMETER 30742

LOCALITY 6 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1813 CLOUDS(% overcast) 15

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 37.2 °C AIR TEMP(1 cm) 37.4 °C

SOIL SURFACE TEMP 39.8 °C CLOACAL TEMP 39.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sand dune

CHASE 10 FEET

REMARKS: Orange on throat & armpits. On sand under dead Croton californica. Caught 18 min. after sunset.

SPECIES *Callisaurus draconoides* TAG. NO. 52

CONTAINER NO. R36 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE SEP 11 1959 SPEEDOMETER 31088

LOCALITY 29 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1150 CLOUDS(% overcast) 95

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION N.W. ALTITUDE(ft.) 1950

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 37.3 °C CLOACAL TEMP 39.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: in sun on pile of sand at edge of road.

SPECIES *Callisaurus draconoides* TAG. NO. 53

CONTAINER NO R36 SEX ♂ AGE ad. TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE SEP 11 1959 SPEEDOMETER 31090

LOCALITY 31 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1218 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) 43

WIND DIRECTION N.W. ALTITUDE(ft.) 1950

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 37.3 °C CLOACAL TEMP 38.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: in sun on a rock

SPECIES *Callisaurus draconoides* TAG. NO. 54

CONTAINER NO. Y6 SEX ♀ AGE ad. TOE CLIP # 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE SEP 11 1969 SPEEDOMETER 31091

LOCALITY 32 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 75

MOON — RELATIVE HUMIDITY(%) 39

WIND DIRECTION N. E. ALTITUDE(ft.) 2150

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. 48.6 °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 33.0 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP 39-7 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 50 FEET

REMARKS: on pavement

SPECIES *Callisaurus draconoides* TAG. NO. *55*

CONTAINER NO. *Y6* SEX *♂* AGE *ad.* TOE CLIP# *3*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *85*

DATE SEP 11 1959 SPEEDOMETER *31103*

LOCALITY *44 mi. E. of 29 Palms*

COUNTY *San Bernardino* CALIF. *(county line)*

STANDARD TIME *1507* CLOUDS(% overcast) *70*

MOON — RELATIVE HUMIDITY(%) *38*

WIND DIRECTION *N.E.* ALTITUDE(ft.) *1400*

WIND VELOCITY(mi/hr) *3-5* ROAD TEMP. _____ °C

AIR TEMP(30 in) *33.6* °C AIR TEMP(1 cm) *36.0* °C

SOIL SURFACE TEMP *41.5* °C CLOACAL TEMP *38.5* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *10* FEET

REMARKS: *in sun on sandy ridge at side of pavement.*

SPECIES *Callisaurus draconoides* TAG. NO. 56

CONTAINER NO. B49 SEX ♂ AGE ad(?) TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 52

DATE OCT 24 1959 SPEEDOMETER 33868

LOCALITY 22 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1140 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 36.5 °C

SOIL SURFACE TEMP 44.5 °C CLOACAL TEMP 41.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in sun on sand

SPECIES *Callisaurus draconoides* TAG. NO. 57

CONTAINER NO. B38 SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 62

DATE OCT 24 1959 SPEEDOMETER 33 868

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1020 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 38

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) 31.0 °C

SOIL SURFACE TEMP 41.2 °C CLOACAL TEMP 37.9 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on sand

SPECIES Callisaurus draconoides TAG. NO. 58

CONTAINER NO. R47 SEX ♂ AGE 9d. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE OCT 24 1959 SPEEDOMETER 33890

LOCALITY 44 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1435 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 25

WIND DIRECTION 0 ALTITUDE(ft.) 1450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 40.6 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 40 FEET

REMARKS: in sun on top of rock

SPECIES *Callisaurus draconoides* TAG. NO. 59

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP# 4

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE Oct. 24, 1959 SPEEDOMETER 33890

LOCALITY 4½ mi. E. of 29 Palms,

COUNTY San Bernardino CALIF.

STANDARD TIME 1445 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 30

WIND DIRECTION 0 ALTITUDE(ft.) 1450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 40.6 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 150 FEET

REMARKS: sitting on road bank in sun.

SPECIES Callisaurus draconoides TAG. NO. 60

CONTAINER NO. R27 SEX ♂ AGE ad. TOE CLIP # 5

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE Oct. 24, 1959 SPEEDOMETER 33890

LOCALITY 44 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 1455 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 27

WIND DIRECTION 0 ALTITUDE(ft.) 1450

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.2 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 40.6 °C CLOACAL TEMP 37.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: sitting on road bank in sun.

SPECIES *Callisaurus draconoides* TAG. NO. 61

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1245 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: L. testis — 2.5 X 2.5 mm.

R. testis — 2.3 X 1.3 "

It started to run under some Ephedra californica, but ran into the mouth of a Crotalus cerastes that was lying on the sand surface beneath the plant. The sidewinder dropped the lizard & began rattling at us. The lizard crawled about a foot away before it stopped. We picked it up then.

SPECIES Callisaurus draconoides TAG. NO. 62

CONTAINER NO. B46 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE Mar. 10, 1960 SPEEDOMETER 30051

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) 20

WIND DIRECTION N.E. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 31.5 °C

SOIL SURFACE TEMP 44.4 °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 10 FEET

REMARKS: in sun on open sand

SPECIES *Callisaurus draconoides* TAG. NO. 63

CONTAINER NO. B47 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE Mar. 20, 1960 SPEEDOMETER 33624

LOCALITY 1 mi. W. of Desert (Ivanpah Dry Lake)

COUNTY San Bernardino CALIF.

STANDARD TIME 0910 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 2625

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 14.9 °C AIR TEMP(1 cm) 18.0 °C

SOIL SURFACE TEMP 33.5 °C CLOACAL TEMP 34.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT alkali sink

CHASE 10 FEET

REMARKS: in sun on sand

SPECIES *Callisaurus draconoides* TAG. NO. 64

CONTAINER NO. R2 SEX ♂ AGE ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE 21 Mar. 1960 SPEEDOMETER 803.7

LOCALITY 3 mi. W. of Rainbow Wells

COUNTY San Bernardino CALIF.

STANDARD TIME 1240 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 28.5 °C

SOIL SURFACE TEMP 48.1 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Joshua Tree Woodland

CHASE 15 FEET

REMARKS: in sun on sand

SPECIES Callisaurus draconoides TAG. NO. 65

CONTAINER NO. R47 SEX ♂ AGE Ad TOE CLIP # 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE 21 Mar 1960 SPEEDOMETER 803.7

LOCALITY 3 mi. W. of Rainbow Wells

COUNTY San Bernardino CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 4200

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 28.5 °C

SOIL SURFACE TEMP 48.1 °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Joshua Tree Woodland

CHASE 50 FEET

REMARKS: On rock in sun in bottom of sandy wash.

SPECIES *Callisaurus draconoides* TAG. NO. 66

CONTAINER NO. B20 SEX ♂ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE April 12, 1960 SPEEDOMETER 34834

LOCALITY 23 mi. W. of Rice

COUNTY Riverside CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 58

WIND DIRECTION W. ALTITUDE(ft.) 1200

WIND VELOCITY(mi/hr) 9-12 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.0 °C AIR TEMP(1 cm) 26.2 °C

SOIL SURFACE TEMP 39.5 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: in sun at side of road.

SPECIES *Callisaurus draconoides* TAG. NO. 67

CONTAINER NO. B40 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE APR 13 1960 SPEEDOMETER 35054

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1520 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 38.0 °C

SOIL SURFACE TEMP 48.6 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 200 FEET

REMARKS: chased about 10 minutes. In sun on open soil.

SPECIES *Callisaurus draconoides* TAG. NO. 68

CONTAINER NO. R15 SEX ♀ AGE ad. TOE CLIP# 3

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE APR 13 1960 SPEEDOMETER 35054

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1545 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 50

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.5 °C AIR TEMP(1 cm) 34.5 °C

SOIL SURFACE TEMP 40.5 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: in sun on open sand

SPECIES *Callisaurus draconoides* TAG. NO. 69

CONTAINER NO. B29 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE APR 14 1960 SPEEDOMETER 35226

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 1205 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) ~~2~~ 16-26 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27.5 °C AIR TEMP(1 cm) 28.5 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 33.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 50 FEET

REMARKS: in sun on open sand

SPECIES *Callisaurus draconoides* TAG. NO. 70

CONTAINER NO. Y6 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 21 1980 SPEEDOMETER 35419

LOCALITY 28 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1515 CLOUDS(% overcast) 90

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S. E. ALTITUDE(ft.) 1600

WIND VELOCITY(mi/hr) 8-11 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 35.0 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 60 FEET

REMARKS: in sun on sand at edge of road

SPECIES *Callisaurus draconoides* TAG. NO. *71*

CONTAINER NO. *Y 9* SEX *♂* AGE *ad.* TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *85*

DATE *April 24, 1960* SPEEDOMETER _____

LOCALITY *Deep Creek*

COUNTY *San Bernardino* CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: *Caught by Stephen Bryant. No other data available.*

SPECIES Callisaurus draconoides TAG. NO. 72

CONTAINER NO. Y9 SEX ♀ AGE imm (?) TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE April 24, 1960 SPEEDOMETER _____

LOCALITY Deep Creek

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Caught by Stephen Bryant. No other data available.

SPECIES *Callisaurus draconoides* TAG. NO. 73

CONTAINER NO. Y9 SEX ♀ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1030 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 21.2 °C

SOIL SURFACE TEMP 31.8 °C CLOACAL TEMP 28.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in broken sun beneath Larrea divericata.

SPECIES *Callisaurus draconoides* TAG. NO. 74

CONTAINER NO. R19 SEX ♂ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE April 28, 1960 SPEEDOMETER 35750

LOCALITY Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME 1040 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION N.W. ALTITUDE(ft.) 475

WIND VELOCITY(mi/hr) 15-20 ROAD TEMP. _____ °C

AIR TEMP(30 in) 20.8 °C AIR TEMP(1 cm) 21.2 °C

SOIL SURFACE TEMP 31.8 °C CLOACAL TEMP 31.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 20 FEET

REMARKS: in sun in open

SPECIES Callisaurus draconoides TAG. NO. 75

CONTAINER NO. R29 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE April 29, 1960 SPEEDOMETER 2748

LOCALITY 3 mi. E. of Garnet

COUNTY Riverside CALIF.

STANDARD TIME 1345 CLOUDS(% overcast) 20

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION N W. ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 30.2 °C

SOIL SURFACE TEMP 40.0 °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 75 FEET

REMARKS: ran across road in front of car.

SPECIES Callisaurus draconoides TAG. NO. 76

CONTAINER NO. B 53 SEX ♀ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0855 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 45.0 °C CLOACAL TEMP 38.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 45 FEET

REMARKS: in sandy flats. Dead on arrival at UCR.

Left Oviduct	Rt. oviduct
2 eggs	3 eggs
1) 15.1 X 9.2	1) 14.1 X 7.9
2) 14.7 X 8.1	2) 15.4 X 7.5
	3) collapsed

SPECIES *Callisaurus draconoides* TAG. NO. 77

CONTAINER NO. R34 SEX ♂ AGE *ad.* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE *April 30, 1960* SPEEDOMETER 2823

LOCALITY *Harpers Well*

COUNTY *Imperial* CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) -

WIND DIRECTION 0 ALTITUDE(ft.) ~~Below 0~~ -110

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 24.4 °C AIR TEMP(1 cm) 26.0 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP 34.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *mesquite thickets*

CHASE 0 FEET

REMARKS: *in sun on sand*

SPECIES *Callisaurus draconoides* TAG. NO. 78

CONTAINER NO. Y 11 SEX ♀ AGE ad. TOE CLIP # [illegible]

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE April 30, 1960 SPEEDOMETER 2823

LOCALITY Harper's Well

COUNTY Imperial CALIF.

STANDARD TIME 1050 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) ~~Below 0~~ -110

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT mesquite thicket

CHASE 150 FEET

REMARKS: in sun in open

SPECIES Callisaurus draconoides TAG. NO. 79

CONTAINER NO. R16 SEX ♀ AGE ~~Juv.~~ ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE MAY 1 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 10 ROAD TEMP. _____ °C

AIR TEMP(30 in) 31.6 °C AIR TEMP(1 cm) 35.8 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 38.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. 80

CONTAINER NO. R6 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 1 1980 SPEEDOMETER 42081

LOCALITY Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1220 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. 81

CONTAINER NO. R 35 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE MAY 1 1960 SPEEDOMETER 42081

LOCALITY Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1225 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 38.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Bright yellow with tinges of orange on the sides.

SPECIES *Callisaurus draconoides* TAG. NO. 82

CONTAINER NO. R18 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. 83

CONTAINER NO. B53 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS:

Left oviduct — 1 egg: 17.0 X 7.8 mm.

Right " — 2 eggs: 14.6 X 7.0 mm.

15.5 X 8.0 mm.

SPECIES Callisaurus draconoides TAG. NO. 84

CONTAINER NO. — SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE May 1, 1960 SPEEDOMETER 315

LOCALITY 7 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES *Callisaurus draconoides* TAG. NO. *85*

CONTAINER NO. *B20* SEX *♂* AGE *ad.* TOE CLIP # *1*

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *78*

DATE *May 9, 1960* SPEEDOMETER *36292*

LOCALITY *12 mi. W. of Glamis*

COUNTY *Imperial* CALIF.

STANDARD TIME *1550* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *0* ALTITUDE(ft.) *300*

WIND VELOCITY(mi/hr) *0* ROAD TEMP. *48.0* °C

AIR TEMP(30 in) *37.5* °C AIR TEMP(1 cm) *40.5* °C

SOIL SURFACE TEMP *49.5* °C CLOACAL TEMP *43.8* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *100* FEET

REMARKS: *on pavement*

SPECIES *Callisaurus draconoides* TAG. NO. 86

CONTAINER NO. R15 SEX ♀ AGE ad. TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE MAY 9 1960 SPEEDOMETER 36292

LOCALITY *12 mi. W. of Glamis*

COUNTY IMPERIAL CALIF.

STANDARD TIME 1610 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 48.0 °C

AIR TEMP(30 in) 37.5 °C AIR TEMP(1 cm) 40.5 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.1 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *@ creosote bush scrub*

CHASE 150 FEET

REMARKS: *on hummock of sand in sun*

L. oviduct – 2 eggs: 15.3 x 9.0 mm.

15.4 x 9.1 "

R. oviduct – 3 eggs: 15.4 x 9.0 "

15.3 x 9.5 "

14.0 x 9.3 "

SPECIES Callisaurus draconoides TAG. NO. 87

CONTAINER NO. R39 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE May 9, 1960 SPEEDOMETER 36293

LOCALITY 10 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1635 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 48.0 °C

AIR TEMP(30 in) 37.5 °C AIR TEMP(1 cm) 40.5 °C

SOIL SURFACE TEMP 49.8 °C CLOACAL TEMP 41.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 100 FEET

REMARKS: on blacktop at edge of pavement

SPECIES *Callisaurus draconoides* TAG. NO. 88

CONTAINER NO. Y9 SEX ♂ AGE ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE MAY 10 1960 SPEEDOMETER 36375

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0955 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 56.0 °C

AIR TEMP(30 in) 37.6 °C AIR TEMP(1 cm) 39.2 °C

SOIL SURFACE TEMP 56.0 °C CLOACAL TEMP 43.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: on blacktop at edge of pavement. Seen making courtship advances to ♀ 2 ft. away. ♀ escaped down a hole.

SPECIES Callisaurus draconoides TAG. NO. 89

CONTAINER NO. Y9 SEX ♂ AGE ad. TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE MAY 10 1969 SPEEDOMETER 36374

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 380

WIND VELOCITY(mi/hr) 0 ROAD TEMP. 51.0 °C

AIR TEMP(30 in) 33.5 °C AIR TEMP(1 cm) 37.2 °C

SOIL SURFACE TEMP 51.0 °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 150 FEET

REMARKS: on blacktop at edge of pavement

SPECIES Callisaurus draconoides TAG. NO. 90

CONTAINER NO. Y9 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE 20 May 1960 SPEEDOMETER _____

LOCALITY 15 mi N. of Lucerne Valley

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1500 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote Bush Scrub

CHASE — FEET

REMARKS: In sun

SPECIES Callisaurus draconoides TAG. NO. [redacted] 91

CONTAINER NO. Y9 SEX ♀ ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) [redacted] 86

DATE 20 May 60 SPEEDOMETER _____

LOCALITY 15 mi N. of Lucerne Valley

COUNTY ~~San~~ Bernardino CALIF.

STANDARD TIME 1450 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION ~~N~~ W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote Bush Scrub

CHASE — FEET

REMARKS: In open sun

SPECIES Callisaurus draconoides TAG. NO. 92

CONTAINER NO. Y 9 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 89

DATE 20 May 1960 SPEEDOMETER _____

LOCALITY 15 mi N. of Lucerne Valley

COUNTY San Bernardino CALIF.

STANDARD TIME 1510 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 27 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote Bush Scrub

CHASE _____ FEET

REMARKS: In sun

SPECIES Callisaurus draconoides TAG. NO. 93

CONTAINER NO. R48 SEX ♂ AGE Ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE 20 May 1960 SPEEDOMETER _____

LOCALITY 15 mi N. of Lucerne Valley

COUNTY San Bernardino CALIF.

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 4000

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 28.6 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT Creosote Bush Scrub

CHASE _____ FEET

REMARKS: In sun

SPECIES Callisaurus draconoides TAG. NO. 94

CONTAINER NO. R12 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE May 21, 1960 SPEEDOMETER 3295

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME 0915 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) 10-15 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 30 FEET

REMARKS: in sun on open ground

SPECIES Callisaurus draconoides TAG. NO. 95

CONTAINER NO. R36 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 83

DATE May 22, 1960 SPEEDOMETER _____

LOCALITY 25 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. 96

CONTAINER NO. R42 SEX ♀ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE JUN 9 1960 SPEEDOMETER 032

LOCALITY 9 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1730 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT sand dune

CHASE 8 FEET

REMARKS: Im sum. Yellow on sides & tail.

SPECIES Callisaurus draconoides FLD. NO. 97

CONTAINER NO. R42 SEX ♀ AGE Ad TOE CLIP # 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE JUN 9 1960 SPEEDOMETER 033

LOCALITY 8 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1800 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. 35.8 °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 34.8 °C

SOIL SURFACE TEMP 37.0 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 25 FEET

REMARKS: Shade. Yellow on body & sides of tail.

SPECIES *Callisaurus draconoides* TAG. NO. 98

CONTAINER NO. B25 SEX ♂ AGE ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE June 10, 1960 SPEEDOMETER 43113

LOCALITY 9 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 0900 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.0 °C AIR TEMP(1 cm) 36.4 °C

SOIL SURFACE TEMP 47.8 °C CLOACAL TEMP 40.2 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 60 FEET

REMARKS: at edge of pavement

SPECIES Callisaurus draconoides TAG. NO. 99

CONTAINER NO. BS2 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 93

DATE June 10, 1960 SPEEDOMETER 43255

LOCALITY 9mi. N. of Desert Center

COUNTY Riverside CALIF.

STANDARD TIME 1825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 550

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 35.6 °C AIR TEMP(1 cm) 36.6 °C

SOIL SURFACE TEMP 39.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT desert wash

CHASE 25 FEET

REMARKS: in open

SPECIES Callisaurus draconoides TAG. NO. 100

CONTAINER NO. B61 SEX ♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE June 11, 1960 SPEEDOMETER 43304

LOCALITY 24 mi. E. of 29 Palms

COUNTY San Bernardino CALIF.

STANDARD TIME 0810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.0 °C AIR TEMP(1 cm) 32.0 °C

SOIL SURFACE TEMP 39.0 °C CLOACAL TEMP 39.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 3 FEET

REMARKS: on top of rock in sun

SPECIES *Callisaurus draconoides* TAG. NO. *101*

CONTAINER NO. *B18* SEX *♂* AGE *ad.* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *72*

DATE JUN 11 1980 SPEEDOMETER *43348*

LOCALITY *11 mi. E. of 29 Palms*

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME *1440* CLOUDS(% overcast) *0*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *S. E.* ALTITUDE(ft.) *1450*

WIND VELOCITY(mi/hr) *3-5* ROAD TEMP. _____ °C

AIR TEMP(30 in) *38.0* °C AIR TEMP(1 cm) *42.0* °C

SOIL SURFACE TEMP *50+* °C CLOACAL TEMP *40.2* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT DESCRITE BUSH SCRUB

CHASE *1* FEET

REMARKS: *in shade of Larrea divericata*

SPECIES *Callisaurus draconoides* TAG. NO. 102

CONTAINER NO. Y8 SEX ♀ AGE ad. TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 69

DATE June 16, 1960 SPEEDOMETER 37313

LOCALITY Flynn (4 mi. W. of Kelso)

COUNTY San Bernardino CALIF.

STANDARD TIME 1535 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. W. ALTITUDE(ft.) 2060

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.0 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 43.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 100 FEET

REMARKS: in shade of railroad piling.

Yellow on sides and tail.

SPECIES Callisaurus draconoides TAG. NO. 103

CONTAINER NO. B49 SEX ♂ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE 15 July 1960 SPEEDOMETER _____

LOCALITY 24 mi E of 29 Palms

COUNTY ~~SAN BERNARDINO~~ CALIF.

STANDARD TIME 1720 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 42.8 °C AIR TEMP(1 cm) 44 °C

SOIL SURFACE TEMP 42.8 °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Open sun

SPECIES Callisaurus draconoides TAG. NO. 104

CONTAINER NO. B23 SEX AGE _____ TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JUL 16 1960 SPEEDOMETER 43866

LOCALITY 28 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0805 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~36 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: On rock in sun

SPECIES Callisaurus draconoides TAG. NO. 105

CONTAINER NO. B30 SEX ♀ AGE Ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61

DATE JUL 16 1960 SPEEDOMETER 870

LOCALITY 24 mi E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0945 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) ——

WIND DIRECTION S.W. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 40.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: In shade of Larrea

SPECIES Callisaurus draconoides TAG. NO. 106

CONTAINER NO. R10 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: Dead on arrival at UCSB.

Left testis – 6.5 X 4.5 mm.

Right testis – 6.5 X 4.0 mm.

Code – 4, 8.

SPECIES Callisaurus draconoides TAG. NO. 107

CONTAINER NO R32 SEX ♀ AGE Ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0655 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 36.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: Open sand

Dead ~~shot~~ before dissection

SPECIES Callisaurus draconoides TAG. NO. 108

CONTAINER NO. B51 SEX ♀ AGE Ad TOE CLIP # 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0640 CLOUDS(% overcast) 0

MOON ——— RELATIVE HUMIDITY(%) ———

WIND DIRECTION ——— ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 37.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Open sand

SPECIES Callisaurus draconoides TAG. NO. 109

CONTAINER NO. B51 SEX ♂ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0650 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION — ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) ~30 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: Open sand

SPECIES Callisaurus draconoides TAG. NO. 110

CONTAINER NO. R32 SEX ♀ AGE Ad TOE CLIP# 2

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE JUL 23 1960 SPEEDOMETER _____

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0735 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) ——

WIND DIRECTION —— ALTITUDE(ft.) 500

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: Open sand

SPECIES *Callisaurus draconoides* TAG. NO. 111

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES *Callisaurus draconoides* TAG. NO. *112*

CONTAINER NO. *R10* SEX *♀* AGE *ad* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *77*

DATE *July 17, 1960* SPEEDOMETER* _____

LOCALITY *8 mi. S. of Barstow*

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: *bright yellow on sides*

SPECIES Callisaurus draconoides TAG. NO. 113

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 77

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: bright yellow on sides

LEFT OVIDUCT - 1 EGG RIGHT OVIDUCT - 2 EGGS

17.2 x 13.1 16.6 x 13.7

16.8 x 13.4

SPECIES Callisaurus draconoides STAG. NO. 114

CONTAINER NO. R10 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: bright yellow on sides

SPECIES *Callisaurus draconoides* TAG. NO. [redacted]115

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. [redacted] 116

CONTAINER NO. R1 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. [redacted]117

CONTAINER NO. R1 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY _____ CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES Callisaurus draconoides TAG. NO. 118

CONTAINER NO. R3 SEX ♂ AGE ad ? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE July 17, 1960 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY San Bernardino CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 119

CONTAINER NO. B27 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 66

DATE Aug. 9, 1960 SPEEDOMETER _____

LOCALITY 24 mi. N.E. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1325 CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.E. ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 39-2 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCR

CHASE 100 FEET

REMARKS: in sun on top of rock

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 120

CONTAINER NO. B18 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 86

DATE Aug. 8, 1960 SPEEDOMETER 4960

LOCALITY Durmid

COUNTY Riverside CALIF.

STANDARD TIME 1320 CLOUDS(% overcast) 30 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) −150

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.6 °C AIR TEMP(1 cm) 43.0 °C

SOIL SURFACE TEMP 58.0 °C CLOACAL TEMP 43.0 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 30 FEET

REMARKS: in sun, running across open sand

SPECIES Callisaurus draconoides TAG. NO. 121

CONTAINER NO. B20 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE Aug. 10, 1960 SPEEDOMETER 55'13

LOCALITY 8 mi. S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1135 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) ~ 2000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) 34.5 °C AIR TEMP(1 cm) 39.0 °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE 60 FEET

REMARKS: in sun on soil

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 122

CONTAINER NO. B23 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 82

DATE AUG 10 1960 SPEEDOMETER 5521

LOCALITY 12 mi. S.E. of Old Dale

COUNTY [illegible] CALIF.

STANDARD TIME 1335 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 60 FEET

REMARKS: in sun on rock

SPECIES *Callisaurus draconoides* TAG. NO. *123*

CONTAINER NO. *B28* SEX *♂* AGE *ad* TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) *84*

DATE *AUG 10 1960* SPEEDOMETER *55713*

LOCALITY *8 mi. S.E. of Old Dale*

COUNTY *SAN BERNARDINO* CALIF.

STANDARD TIME *1125* CLOUDS(% overcast) *60*

MOON *—* RELATIVE HUMIDITY(%) *—*

WIND DIRECTION *S.E.* ALTITUDE(ft.) *~2000*

WIND VELOCITY(mi/hr) *3-5* ROAD TEMP. _____ °C

AIR TEMP(30 in) *34.5* °C AIR TEMP(1 cm) *39.0* °C

SOIL SURFACE TEMP *50+* °C CLOACAL TEMP *40.9* °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT *creosote bush scrub*

CHASE *60* FEET

REMARKS: *in sun on rock*

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 124

CONTAINER NO. B37 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Aug. 8, 1960 SPEEDOMETER _____

LOCALITY Durmid

COUNTY Riverside CALIF.

STANDARD TIME 1255 CLOUDS(% overcast) 30 (thin)

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) -150

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.6 °C AIR TEMP(1 cm) 43.0 °C

SOIL SURFACE TEMP 58.0 °C CLOACAL TEMP 43.3 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 40 FEET

REMARKS: in shade of Larrea divericata

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 125

CONTAINER NO. B45 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE AUG 10 1960 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 0925 CLOUDS(% overcast) 60

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S. E. ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 33.8 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 46.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: in sun in open

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 126

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 96

DATE Aug. 10, 1960 SPEEDOMETER _____

LOCALITY 10 mi. S.E. of Old Dale

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1345 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION _____ ALTITUDE(ft.) 2000

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SC

CHASE 40 FEET

REMARKS: in sun on rock

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 127

CONTAINER NO. B58 SEX ♀ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 70

DATE Aug. 9, 1960 SPEEDOMETER 5242

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1145 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.E. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.4 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP 42.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on sand. Yellow on sides

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 128

CONTAINER NO. B58 SEX ♂♀ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE Aug. 9, 1960 SPEEDOMETER _____

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0835 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.8 °C AIR TEMP(1 cm) 34.0 °C

SOIL SURFACE TEMP 45.4 °C CLOACAL TEMP 38.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on sand

129

SPECIES CALLISAURUS DRACONOIDES TAG. NO. ~~130~

CONTAINER NO. R25 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~~66~ 77

DATE Aug. 11, 1960 SPEEDOMETER _____

LOCALITY 3 mi. N.W. of Palm Springs

COUNTY Riverside CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 1100

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: Taken in Trap

130

SPECIES CALLISAURUS DRACONOIDES TAG. NO. ~~127~~

CONTAINER NO. R32 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~~77~~ 82

DATE AUG 11 1960 SPEEDOMETER _____

LOCALITY 5 mi. N.W. of 1000 Palms

COUNTY RIVERSIDE CALIF.

STANDARD TIME 0630 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION 0 ALTITUDE(ft.) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 33.4 °C

SOIL SURFACE TEMP 36.2 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 5 FEET

REMARKS: in sun on a rock

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 131

CONTAINER NO. B56 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE Sept. 9, 1960 SPEEDOMETER 45655

LOCALITY 10 mi. W. of Glamis

COUNTY Imperial CALIF.

STANDARD TIME 1700 CLOUDS(% overcast) 15

MOON — RELATIVE HUMIDITY(%) —

WIND DIRECTION S.W. ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.4 °C AIR TEMP(1 cm) 42.0 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on edge of pavement

SPECIES Callisaurus draconoides TAG. NO. 132

CONTAINER NO. - SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 65

DATE Oct. 16, 1960 SPEEDOMETER _____

LOCALITY Near Tecopa Mts.

COUNTY Inyo CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) _____

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT _____

CHASE _____ FEET

REMARKS: Brought in by Oscar Clark. No other data available.

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 133

CONTAINER NO. B55 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE Mar. 26, 1961 SPEEDOMETER 45323

LOCALITY Mecca

COUNTY Riverside CALIF.

STANDARD TIME 1130 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) -189

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 23.8 °C AIR TEMP(1 cm) ~~29.0~~ 28.0 °C

SOIL SURFACE TEMP 49.0 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: in sun on ground

CALLISAURUS DRACONOIDES

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 134

CONTAINER NO. R11 SEX ♂ AGE ad. TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 78

DATE APR 8 1961 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1055 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) 21.6 °C AIR TEMP(1 cm) 23.6 °C

SOIL SURFACE TEMP 32.2 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on sand

CALLISAURUS DRACONOIDES

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 135

CONTAINER NO. R11 SEX ♂ AGE ad TOE CLIP# 1

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 80

DATE APR 8 1961 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME 1215 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft.) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 25.0 °C AIR TEMP(1 cm) 28.4 °C

SOIL SURFACE TEMP 45.8 °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 136

CONTAINER NO. B58 SEX ♂ AGE ad? TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 55

DATE APR 14 1961 SPEEDOMETER _____

LOCALITY 1 mi. E. of Mecca

COUNTY IMPERIAL CALIF.

STANDARD TIME 1600 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) -189

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.6 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on ground

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 137

CONTAINER NO. Y11 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE April 14, 1961 SPEEDOMETER _____

LOCALITY 2 mi. E. of Mecca

COUNTY IMPERIAL CALIF.

STANDARD TIME 1530 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) -189

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.6 °C AIR TEMP(1 cm) 31.6 °C

SOIL SURFACE TEMP 43.8 °C CLOACAL TEMP 37.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT DESERT BUSH SCRUB

CHASE 25' FEET

REMARKS: in sun on ground

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 138

CONTAINER NO. B62 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 64

DATE APR 16 1961 SPEEDOMETER _____

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE ~~0~~ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 139

CONTAINER NO. B32 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71

DATE MAY 7 '81 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 140

CONTAINER NO. R39 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 79

DATE MAY 7 1961 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 141

CONTAINER NO. R39 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 7 1961 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 142

CONTAINER NO. R39 SEX ♂ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 75

DATE MAY 7 1981 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 143

CONTAINER NO. R17 SEX ♂ AGE ad. TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 88

DATE MAY 7 1961 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIF.

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft.) 2800

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 144

CONTAINER NO. B59 SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 13 1961 SPEEDOMETER 673

LOCALITY 11 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1555 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 380

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. 42.2 °C

AIR TEMP(30 in) 31.0 °C AIR TEMP(1 cm) 33.2 °C

SOIL SURFACE TEMP 40.6 °C CLOACAL TEMP 39.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 200 FEET

REMARKS: in sun at edge of pavement

SPECIES CALLISAURUS DRACONOIDES TAG NO. 145

CONTAINER NO. R8 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 14 1961 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1230 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 32.0 °C AIR TEMP(1 cm) 34.6 °C

SOIL SURFACE TEMP 41.6 °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 200 FEET

REMARKS: in sun at edge of pavement

SPECIES CALLISAURUS DRACONOIDES TAG NO. 146

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 10 1971 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on sand

Breeding colors

SPECIES CALLISAURUS DRACONOIDES TAG NO. 147

CONTAINER NO. B31 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 67

DATE June 4, 1961 SPEEDOMETER 2137

LOCALITY 5 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 1150 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) 31

WIND DIRECTION 0 ALTITUDE(ft) 400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 34.4 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP 50+ °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT creosote bush scrub

CHASE 60 FEET

REMARKS: in shade beneath Larrea divericata

SPECIES CALLISAURUS DRACONOIDES TAG NO. 148

CONTAINER NO. B26 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 71

DATE JUN 4 1961 SPEEDOMETER 2158

LOCALITY 26 mi. E. of San Luis

COUNTY Sonora ~~CALIFORNIA~~ Mexico

STANDARD TIME 1400 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION S.W. ALTITUDE(ft) ~100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 36.0° °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CALLISAURUS DRACONOIDES TAG NO. 149

CONTAINER NO. B30 SEX ♂ AGE ad.? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 46

DATE JUN 4 1961 SPEEDOMETER 2158

LOCALITY 26mi. E. of San Luis

COUNTY Sonora Mexico ~~CALIFORNIA~~

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION S.W. ALTITUDE(ft) ~100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. _____ °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 150

CONTAINER NO. B30 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 47

DATE JUN 4 1981 SPEEDOMETER

LOCALITY 26 mi. E. of San Luis

COUNTY Sonora Mexico ~~CALIFORNIA~~

STANDARD TIME 1420 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SW ALTITUDE(ft) ~100

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

AIR TEMP(30 in) 36.0 °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS:

SPECIES CALLISAURUS DRACONOIDES TAG NO. 151

CONTAINER NO. B63 SEX ♂ AGE ad? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 58

DATE June 16, 1961 SPEEDOMETER _____

LOCALITY 22 mi. E. of 29 Palms

COUNTY San Bernardino CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT creosote bush scrub

CHASE _____ FEET

REMARKS: _____

SPECIES CALLISAURUS DRACONOIDES TAG NO. 152

CONTAINER NO. B53 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 68

DATE JUL 10 1961 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1810 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 43.0 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP 50.5 °C CLOACAL TEMP 44.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 49.5 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement. Yellow on sides & tail.

Left Oviduct	Right Oviduct
16.4 x 8.5 mm.	16.3 x 8.7 mm.
	16.0 x 9.0 "

SPECIES CNEMIDOPHORUS DRACONOIDES TAG NO. 153

CONTAINER NO. B 53 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 72

DATE JUL 18 1961 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0630 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 30.5 °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: in sun on sand

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 154

CONTAINER NO. — SEX ♀ AGE ad TOE CLIP # _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) ~63

DATE JUL 22 1961 SPEEDOMETER _____

LOCALITY 10 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 1000 CLOUDS(% overcast) _____

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____°C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____°C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____°C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: shot on sand

SPECIES CALLISAURUS DRACONOIDES TAG NO. 155

CONTAINER NO. B 73 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 61

DATE July 21, 1961 SPEEDOMETER 4649

LOCALITY 13 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1700 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 39.0 °C AIR TEMP(1 cm) 41.6 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 50.0 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on edge of pavement in sun

Yellow on sides

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 156

CONTAINER NO. B79 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE JUL 23 1961 SPEEDOMETER _____

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME _____ CLOUDS(% overcast) 25

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SE ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: Yellow on sides.

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 157

CONTAINER NO. B59 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 71 ~~5284~~

DATE AUG 12 1961 SPEEDOMETER 5284

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0825 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 39.8 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES CALLISAURUS DRACONOIDES TAG. NO. 158

CONTAINER NO. B23 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE AUG 13 1961 SPEEDOMETER 5437

LOCALITY 7 mi. W. of Glamis

COUNTY IMPERIAL CALIF.

STANDARD TIME 0615 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION SW ALTITUDE(ft.) 300

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. _____ °C

AIR TEMP(30 in) 29.6 °C AIR TEMP(1 cm) 29.8 °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 32.6 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP 31.5 °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES CALLISAURUS DRACONOIDES TAG NO. 159

CONTAINER NO. 880 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE Aug. 21, 1961 SPEEDOMETER 6086

LOCALITY 8 mi. N. of Glamis

COUNTY Imperial CALIFORNIA

STANDARD TIME 1010 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 500

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) 43.0 °C AIR TEMP(1 cm) 43.0 °C

SOIL SURFACE TEMP 43.0 °C CLOACAL TEMP 42.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 43.0 °C

HABITAT creosote bush scrub

CHASE 0 FEET

REMARKS: in shade of Larrea divericata

SPECIES CALLISAURUS DRACONOIDES TAG NO. 160

CONTAINER NO. B 71 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 61

DATE SEP 12 1961 SPEEDOMETER _____

LOCALITY 6 mi. N. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 30

MOON — RELATIVE HUMIDITY(%) _____

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. _____ °C

AIR TEMP(30 in) 38.2 °C AIR TEMP(1 cm) 41.2 °C

SOIL SURFACE TEMP 52.0 °C CLOACAL TEMP 41.5 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on sand. Yellow on legs, sides & Tail.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 161

CONTAINER NO. B81 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 63

DATE SEP 12 1961 SPEEDOMETER 7121

LOCALITY 1 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 2222 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) 25.5 °C AIR TEMP(1 cm) 26.5 °C

SOIL SURFACE TEMP °C CLOACAL TEMP 29.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP 27.0 °C

HABITAT sand dune

CHASE 0 FEET

REMARKS: on pavement

Trace of yellow on sides.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 162

CONTAINER NO. 02 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE SEP 14 1961 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1050 CLOUDS(% overcast) 5

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION S.E. ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 5-8 ROAD TEMP. °C

AIR TEMP(30 in) 33.2 °C AIR TEMP(1 cm) 35.2 °C

SOIL SURFACE TEMP 46.0 °C CLOACAL TEMP 40.0 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 50 FEET

REMARKS: moved in short spurts. In sun on sand.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 163

CONTAINER NO. RS SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 69

DATE SEP 16 1961 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: Yellow on hind legs, sides & tail.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 164

CONTAINER NO. W10 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE OCT 7 1961 SPEEDOMETER _____

LOCALITY Ruthven

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1410 CLOUDS(% overcast) 0

MOON - RELATIVE HUMIDITY(%) _____

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 8-10 ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP 40.4 °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on sand

SPECIES CALLISAURUS DRACONOIDES TAG NO. 165

CONTAINER NO. B52 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 72

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 0750 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 39.2 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

some yellow on sides & tail.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 166

CONTAINER NO. B54 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 75

DATE APR 14 1962 SPEEDOMETER

LOCALITY 8 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1112 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Molting

SPECIES CALLISAURUS DRACONOIDES TAG NO. 167

CONTAINER NO. R51 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 168

CONTAINER NO. R51 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 169

CONTAINER NO. B52 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 85

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 170

CONTAINER NO. B52 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE MAY 5 1982 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 171

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 172

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 81

DATE MAY 5 1967 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 173

CONTAINER NO. R40 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 80

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 174

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 175

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 95

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 176

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 83

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 177

CONTAINER NO. R40 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 84

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 178

CONTAINER NO. W6 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 87

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 179

CONTAINER NO. 06 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 5 1962 SPEEDOMETER _____

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 180

CONTAINER NO. B25 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 87

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 181

CONTAINER NO. B25 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 89

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 182

CONTAINER NO. B63 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 67

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 183

CONTAINER NO. 863 SEX ♀ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 184

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 70

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 185

CONTAINER NO. B63 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 76

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 186

CONTAINER NO. B30 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 58

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 187

CONTAINER NO. B58 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 188

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 73

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 189

CONTAINER NO. B19 SEX ♂ AGE ad TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 74

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 190

CONTAINER NO. B19 SEX ♀ AGE ad ? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 60

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 191

CONTAINER NO. B49 SEX ♀ AGE ad ? TOE CLIP# _____

WEIGHT(gms) _____ SNOUT-VENT LENGTH(mm) 63

DATE MAY 6 1962 SPEEDOMETER _____

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME _____ CLOUDS(% overcast) _____

MOON _____ RELATIVE HUMIDITY(%) _____

WIND DIRECTION _____ ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) _____ ROAD TEMP. _____ °C

AIR TEMP(30 in) _____ °C AIR TEMP(1 cm) _____ °C

SOIL SURFACE TEMP _____ °C CLOACAL TEMP _____ °C

ROCK SURFACE TEMP _____ °C SUBSTRATE TEMP _____ °C

HABITAT CREOSOTE BUSH SCRUB

CHASE _____ FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 192

CONTAINER NO. B24 SEX ♀ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 68

DATE MAY 5 1962 SPEEDOMETER

LOCALITY 8 mi. S. of Barstow

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 2700

WIND VELOCITY(mi/hr) ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

SPECIES CALLISAURUS DRACONOIDES TAG NO. 193

CONTAINER NO. B31 SEX ♂ AGE ad? TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 73

DATE MAY 6 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME CLOUDS(% overcast)

MOON RELATIVE HUMIDITY(%)

WIND DIRECTION ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE FEET

REMARKS: caught by field zool. class

Molting.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 194

CONTAINER NO. 014 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE MAY 13 1962 SPEEDOMETER

LOCALITY 9 mi. W. of Glamis

COUNTY IMPERIAL CALIFORNIA

STANDARD TIME 1425 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 300

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

SOIL TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 40.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: on pavement

SPECIES CALLISAURUS DRACONOIDES TAG NO. 195

CONTAINER NO. R49 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 78

DATE JUL 11 1962 SPEEDOMETER

LOCALITY Palm Springs

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 0840 CLOUDS(% overcast) 50

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION NW ALTITUDE(ft) 475

WIND VELOCITY(mi/hr) 3-5 ROAD TEMP. °C

TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 0 FEET

REMARKS: in sun on sand

SPECIES CALLISAURUS DRACONOIDES TAG NO. 196

CONTAINER NO. B54 SEX ♀ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 66

DATE JUL 17 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 0930 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.6 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 10 FEET

REMARKS: in sun on rock. Yellow on sides & tail.

SPECIES CALLISAURUS DRACONOIDES TAG NO. 197

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUL 17 1962 SPEEDOMETER

LOCALITY Dale Dry Lake

COUNTY SAN BERNARDINO CALIFORNIA

STANDARD TIME 1130 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION SE ALTITUDE(ft) 1400

WIND VELOCITY(mi/hr) 0-3 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 41.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 6 FEET

REMARKS: in shade of Larrea

SPECIES CALLISAURUS DRACONOIDES TAG NO. 198

CONTAINER NO. 875 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 82

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 1 mi. E. of Garnet

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1030 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 20 FEET

REMARKS: in sun on rock

SPECIES CALLISAURUS DRACONOIDES TAG NO. 199

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 76

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 1 mi. E. of Garnet

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1040 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 43.8 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 15 FEET

REMARKS: in sun on rock

SPECIES CALLISAURUS DRACONOIDES TAG NO. 200

CONTAINER NO. B75 SEX ♂ AGE ad TOE CLIP#

WEIGHT(gms) SNOUT-VENT LENGTH(mm) 79

DATE JUL 19 1962 SPEEDOMETER

LOCALITY 3 mi. E. of Garnet

COUNTY RIVERSIDE CALIFORNIA

STANDARD TIME 1113 CLOUDS(% overcast) 0

MOON — RELATIVE HUMIDITY(%)

WIND DIRECTION 0 ALTITUDE(ft) 600

WIND VELOCITY(mi/hr) 0 ROAD TEMP. °C

AIR TEMP(30 in) °C AIR TEMP(1 cm) °C

SOIL SURFACE TEMP °C CLOACAL TEMP 42.5 °C

ROCK SURFACE TEMP °C SUBSTRATE TEMP °C

HABITAT CREOSOTE BUSH SCRUB

CHASE 100 FEET

REMARKS: in sun on log

VERNON ROYAL LINE

R-351

STEEL BACKPLATE

S. E. & M. VERNON, INC.

U. S. A.